

ET GROUP®
DOORS & SYSTEMS



2026

doors in stock program
UNITY LIGHT

CONTENTS

Main advantages of UNITY LIGHT doors	3
Milling types UNITY LIGHT DESIGN and CONTEMPORARY LIGHT	6
UNITY LIGHT DESIGN model range	8
CONTEMPORARY LIGHT model range	20
NEW CLASSIC LIGHT model range	26
UNITY LIGHT skirting board	38
Sliding system for the UNITY LIGHT collection	39
Basic configuration	40
Standard sizes	41
Price list (stock program, skirting board, extender)	42
UNITY LIGHT doors price list for custom orders	43
Sliding system price list	44
Examples of door cost calculation and delivery	45



+ FLUSH CASINGS

Flush casings are brought to the same level as the door leaf, making the doors more elegant, without unnecessary recesses, and adding design integrity.



+ TELESCOPIC DOOR JAMB


The standard door set includes a telescopic door jamb and a rear door casings, allowing for door installation in the most common wall thickness range of 100-125mm. If the wall thickness exceeds 125mm, an extender is used.



+ ITALIAN HARDWARE


The door unit is completed with a reliable magnetic lock and concealed hinges made in Italy.

The main advantages of the UNITY LIGHT collection



+ ECO-FRIENDLY PAINTS

For painting doors, high-quality, environmentally friendly paints and primer from the European manufacturer AKZONOBEL are used. After applying a special polymer primer, the doors are painted in 2 layers for a more reliable coating.



+ WATER-RESISTANT MDF AND SOLID WOOD

Doors are made in a combination of solid wood and moisture-resistant MDF. We also offer skirting board made of WATER-resistant MDF.




UNITY LIGHT DESIGN





Milling types

UNITY DESIGN and CONTEMPORARY LIGHT lines




Used in models:

UNITY LIGHT DESIGN

UD 7	UD 23
UD 8	UD 24
UD 9	UD 25
UD 13	UD 26
UD 14	UD 27
UD 19	UD 28
UD 20	UD 29
UD 21	UD 30
UD 22	

CONTEMPORARY LIGHT

CON LIGHT 4	CON LIGHT 7
CON LIGHT 5	CON LIGHT 8
CON LIGHT 6	




Used in models:

UNITY LIGHT DESIGN

UD 1	UD 12
UD 2	UD 13
UD 3	UD 14
UD 4	UD 15
UD 5	UD 16
UD 6	UD 17
UD 11	UD 18

CONTEMPORARY LIGHT


CON LIGHT 9



Used in models:

UNITY LIGHT DESIGN

UD 10	
CONTEMPORARY LIGHT	
CON LIGHT 1	CON LIGHT 3
CON LIGHT 2	



Used in models:

UNITY LIGHT DESIGN

UD 25 UD 28

UD 26 UD 29


UD 27 UD 30



Used in models:

UNITY LIGHT DESIGN

UD 10



Використовується у моделях:

UNITY LIGHT DESIGN

UD 7



model
UD 1



model
UD 2



model
UD 3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 4



model
UD 5



model
UD 6

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 7



model
UD 8



model
UD 9

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 10



model
UD 11



model
UD 12

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 13



model
UD 14



model
UD 15

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 16



model
UD 17



model
UD 18

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 19



model
UD 20



model
UD 21


1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 22




model
UD23



model
UD 24

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 25



model
UD 26




model
UD 27

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
UD 28



model
UD 29



model
UD 30

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.

CONTEMPORARY LIGHT







model
CON LIGHT 1



model
CON LIGHT 2



model
CON LIGHT 3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
CON LIGHT 4



model
CON LIGHT 5



model
CON LIGHT 6

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
CON LIGHT 7



model
CON LIGHT 8



model
CON LIGHT 9

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
CON LIGHT 10



model
CON LIGHT 11



model
CON LIGHT 12

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors (except for Con Light 11 and 12 models).
3. Con Light 11 model - black aluminum door leaf frame and black hardware. Outside opening leafs are 40 mm thick, inside opening leafs are 45 mm thick.
4. Con Light 12 model - wooden honey comb door leaf with black aluminum trim and black hardware. Outside and inside opening, 45 mm thick.

NEW CLASSIC LIGHT







model
NC LIGHT 1.1



model
NC LIGHT 1.2



model
NC LIGHT 1.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 2.1



model
NC LIGHT 2.2




model
NC LIGHT 2.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 3.1



MILLING
CROSS-SECTION



model
NC LIGHT 3.2



model
NC LIGHT 3.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 4.1



model
NC LIGHT 4.2



model
NC LIGHT 4.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 5.1



MILLING
CROSS-SECTION



model
NC LIGHT 5.2



model
NC LIGHT 5.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 6.1



model
NC LIGHT 6.2



model
NC LIGHT 6.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 7.1



MILLING 7.1



MILLING 7.2



MILLING 7.3



model
NC LIGHT 7.2



model
NC LIGHT 7.3

1. Doors are painted in white base color.
2. You can choose from white, black, or gray hardware.
3. Standard door sizes are 800x2000 mm and 700x2000 mm.
4. **Attention!** Models NC LIGHT 7.1, 7.2, 7.3 are not manufactured in size 600x2000 mm.
5. A telescopic extender in 4 sizes is available for purchase separately.



model
NC LIGHT 8.1



model
NC LIGHT 8.2



model
NC LIGHT 8.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 9.1



model
NC LIGHT 9.2



model
NC LIGHT 9.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 10.1



model
NC LIGHT 10.2



model
NC LIGHT 10.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 11.1



model
NC LIGHT 11.2



model
NC LIGHT 11.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



model
NC LIGHT 12.1



model
NC LIGHT 12.2





model
NC LIGHT 12.3

1. The doors are painted in basic white color.
2. You have the option to choose door hardware in white, black, or gray colors.
3. Standard door sizes are 800x2000 mm and 700x2000 mm. For the size 600x2000 mm, the delivery time is extended.
4. Additionally, you can purchase a telescopic expander available in 4 size variations.



SKIRTING BOARD



skirting board
FLAT



skirting board
MILLED




1. The skirting board is painted in a basic white colour, including both end faces.
2. Length of the board: 2050 mm, height: 80 mm, thickness: 12 mm.
3. Made of moisture-resistant material.
4. Supplied complete with a mounting strip.




1. The doors are painted in a basic white colour.
2. Hardware is available in white, black, or grey.
3. Standard door sizes: 800×2000 mm, 700×2000 mm. For the 600×2000 mm size, the shipping time is extended.
4. See price list on page 44.

BASIC SET






1. The doors are painted in a basic white colour.
2. Hardware is available in white, black, or grey; other hardware colours are available upon request. The seal is white.
3. Standard door sizes: 800×2000 mm, 700×2000 mm. For the 600×2000 mm size, the shipping time is extended.
4. The supplier of BONAITI Italian locks in Ukraine is Hafele.
5. The manufacturer reserves the right to make changes to the product design in order to improve it without prior notice to the customer.

OUTSIDE OPENING



INSIDE OPENING



Door Leaf	Door opening	Door jamb	Clear opening
HxL	(H+51)x(L+82)	(H+41)x(L+62)	(H+1)x(L-18)
2000x600/700/800	2051x682/782/882	2041x662/762/862	2001x582/682/782

ATTENTION!

Door opening maximum height is $H=2075$ mm. At this height, the gap between the door jamb and the opening is 34 mm, with the face casing covering 18 mm of the opening's height.

Door Leaf	Door opening	Door jamb	Clear opening
HxL	(H+63)x(L+106)	(H+53)x(L+86)	(H+1)x(L-18)
S1 2012x600/700/800 S2 2000x576/676/776	2075x706/806/906	2065x686/786/886	2013x582/682/782

ATTENTION!

The face casings covers 18 mm of the opening's height.

